HHANDLER5

Business Rules	• The user must be implementer of record for Handler information.
	• Handler ID, Activity Location, Source Type, and Sequence Number must be unique.
	• If Short Term Generator = 'Y' then Notes must be provided.
	• If Receive Date >= 1/1/2004 and Source Type = 'N', 'A', 'R', or 'B' then Primary NAICS information (i.e., NAICS Sequence Number = 1) must be provided.
	• If Receive Date >= 1/1/2004 and Source Type = 'N', 'A', 'R', or 'B' then Certification information must be provided.
	• If Receive Date >= 4/1/2010 and Source Type = 'T' then Certification information must be provided.
	• If Receive Date >= 1/1/2004 and Source Type = 'N', 'A', 'R', or 'B' then Owner information must be provided.
	• If Receive Date >= 1/1/2004 and Source Type = 'N', 'A', 'R', or 'B' then Operator information must be provided.
	• If Receive Date >= 4/1/2010 and Source Type = 'N', 'A', 'B', or 'T', and Federal Generator Status = '1', '2', or '3', or TSD Activity = 'Y' or Recycler Activity = 'Y' or Small Quantity On-site Burner Exemption = 'Y' or Smelting, Melting, and Refining Furnace Exemption = 'Y' then Waste Code information must be provided.
	• If Receive Date >= 1/1/2004 and Source Type = 'A' then Part A Contact information must be provided.
	• If Source Type = 'E' or 'T' then HSM data cannot be provided.
	• If Location Country <> 'US' or blank then the following activities must equal 'N': Federal Generator Status, Importer Activity, Short-Term Generator, Mixed Waste Generator, Transfer Facility, TSD Activity, Recycler Activity, On-site Burner Exemption, Furnace Exemption, Underground Injection Activity, Universal Waste Destination Facility, Used Oil Burner, Used Oil Transfer Facility, Used Oil Processor, Used Oil Refiner, Used OII Specification Marketer, Used OII Fuel Marketer, Subpart K-College, Subpart K-Hospital, Subpart K-Non-profit, and Subpart K-Withdrawal.
	• Use of the HHANDLER5 table is mandatory.

English Name	EPA Handler ID **(Primary Key)**
Oracle Name	HANDLER_ID
Description	Unique RCRA identification number assigned by the implementing State or Region to each RCRA site (e.g., generators; transporters; and treatment, storage, disposal facilities).
Data Type and Length	VARCHAR2 (12)
Allowed Values	Valid ID as outlined below:
	The ID can be a minimum of 4 characters and a maximum of 12 characters.
	The first two characters must be a valid state postal code which corresponds to the state in which the handler is located.
	Spaces are not allowed.
Default Value	
Notes	Handlers associated with Navajo Nation should be assigned Handler IDs beginning with 'NN' regardless of where the handler is physically located.

English Name	Activity Location **(Primary Key)**
Oracle Name	ACTIVITY_LOCATION
Description	Indicates the location of the agency regulating the handler.
Data Type and Length	CHAR (2)
Allowed Values	State postal code

HHANDLER5

Default Value	Location associated with the current user ID.
Notes	For a list of valid state postal codes, refer to the Column Information Report for LU_STATE.

English Name	Source Type **(Primary Key)**
Oracle Name	SOURCE_TYPE
Description	Code indicating the source of information for the associated data (activity, wastes, etc.).
Data Type and Length	CHAR (1)
Allowed Values	A Part A
	Indicates that the site is and/or is planning to treat, store, or dispose of hazardous waste on site in a unit that is not exempt from obtaining a hazardous waste permit.
	B Annual/Biennial Report updated with Notification
	E Emergency
	Indicates that the site is regulated as the result of a waste generation situation that was unforeseen, uncontrollable and short-term, and not expected to exceed 30 days.
	I Implementer
	N Notification
	Indicates that the facility's waste activity is regulated under Subtitle C of the Resource Conservation and Recovery Act and the rules promulgated pursuant to the Act or the facility is an eligible academic entity opting into 40 CFR 262 Subpart K or the facility will begin managing hazardous secondary material under 40 CFR 261.2(a)(2)(ii), 40 CFR 261.4(a)(23), (24), or (25).
	R Annual/Biennial Report
	T Temporary
Default Value	
Notes	If the BR Report Cycle >= 2009 then the Source Type must equal 'B'.

English Name	Handler Sequence Number **(Primary Key)**
Oracle Name	SEQ_NUMBER
Description	Sequence number for each source record about a handler.
Data Type and Length	NUMBER (6.0)
Allowed Values	1 - 999999
Default Value	

English Name	Receive Date
Oracle Name	RECEIVE_DATE
Description	Date that the form (indicated by the associated Source) was received from the handler by the appropriate authority or for "I" sources, the date at which the information was considered current.
Data Type and Length	DATE
Allowed Values	Valid date no later than today in MM/DD/YYYY format
Default Value	

HHANDLER5

English Name	Handler Name
Oracle Name	HANDLER_NAME
Description	The legal name of the site.
Data Type and Length	VARCHAR2 (80)
Allowed Values	Any non-blank value
Default Value	

English Name	Non-Notifier	
Oracle Name	NON_NOTIFIER	
Description	Flag indicating that the handler has been identified through a source other than Notification and is suspected of conducting RCRA-regulated activities without proper authority.	
Data Type and Length	CHAR (1)	
Allowed Values	E	Initially a non-notifier, subsequently determined to be exempt from requirements to notify
	O	Former non-notifier
	X	Non-notifier
	blank	Not a non-notifier
Default Value	blank	

English Name	Acknowledge Flag Date	
Oracle Name	ACKNOWLEDGE_DATE	
Description	Date acknowledgement of receipt of information is sent to handlers. Acknowledge Flag Date is used in conjunction with Acknowledge Flag for generating an acknowledgement.	
Data Type and Length	DATE	
Allowed Values	Valid date in MM/DD/YYYY format	
	blank	Not provided
Default Value	blank	

English Name	Acknowledge Flag	
Oracle Name	ACKNOWLEDGE_FLAG	
Description	A flag used to mark the handler for having an acknowledgement of receipt sent.	
Data Type and Length	CHAR (1)	
Allowed Values	Any value	
	blank	Not provided
Default Value	blank	
Notes	Automatically set to blank when acknowledgements are generated.	

HHANDLER5

English Name	Accessibility
Oracle Name	ACCESSIBILITY
Description	Code indicating the reason why the handler is not accessible for normal RCRA tracking and processing (previously called Bankrupt Indicator).
Data Type and Length	CHAR (1)
Allowed Values	B Handler has filed for bankruptcy and bankruptcy litigation is in process.
	C Transferred to the program or state equivalent.
	All RCRA responsibilities for permitting/closure, corrective action, and compliance monitoring and enforcement at the facility have been formally transferred to the CERCLA program or state equivalent. The RCRA program no longer has any responsibility for the aforementioned activities for this facility.
	F All responsible parties (owners/operators) for the handler have fled the country or are otherwise not available for prosecution.
	L The handler's case is tied up in litigation to the extent that further progress in achieving RCRA compliance through normal enforcement is not possible.
	blank Not provided
Default Value	blank

English Name	Location Street Number
Oracle Name	LOCATION_STREET_NO
Description	Street number from the physical address of the primary site entrance.
Data Type and Length	VARCHAR2 (12)
Allowed Values	Any value
	blank Not provided
Default Value	blank

English Name	Location Street 1
Oracle Name	LOCATION_STREET1
Description	First line of the street address, route number, or other specific identifier describing the physical address of the primary site entrance.
Data Type and Length	VARCHAR2 (30)
Allowed Values	Any non-blank value
Default Value	

English Name	Location Street 2
Oracle Name	LOCATION_STREET2
Description	Second line of the street address (or the post office box number), route number, or other specific identifier describing the physical address of the primary site entrance.
Data Type and Length	VARCHAR2 (30)
Allowed Values	Any value
	blank Not provided
Default Value	blank

HHANDLER5

English Name	Location City
Oracle Name	LOCATION_CITY
Description	Name of the city or town in which the handler is physically located.
Data Type and Length	VARCHAR2 (25)
Allowed Values	Any non-blank value
Default Value	

English Name	Location State
Oracle Name	LOCATION_STATE
Foreign Key	If Country Code = 'US' or blank then foreign key to POSTAL_CODE in LU_STATE.
	If Country Code <> 'US' or blank then foreign key to COUNTRY_CODE in LU_COUNTRY.
Description	State code of the location address.
Data Type and Length	CHAR (2)
Allowed Values	If Location Country <> US or blank then State code in LU_FOREIGN_STATE
	If Location Country = US or blank then State postal code in LU_STATE
	blank Not provided
Default Value	blank
Notes	For a list of valid state codes, refer to the Column Information Report for LU_STATE and LU_FOREIGN_STATE.
	If Country Code = 'US' or blank then the Location State must be provided.
	If Country Code = 'US' or blank and the first two characters of the Handler ID <> 'NN' (Navajo Nation) then the Location State must equal the first two characters of the Handler ID.

English Name	Location Zip Code
Oracle Name	LOCATION_ZIP
Description	The zip code in which the handler is physically located.
Data Type and Length	VARCHAR2 (14)
Allowed Values	Any non-blank value
Default Value	
Notes	Zip code may include dash.

English Name	Location Country
Oracle Name	LOCATION_COUNTRY
Foreign Key	Foreign key to COUNTRY_CODE in LU_COUNTRY.
Description	The out-of-country location for transporters coming into the United States.
Data Type and Length	CHAR (2)
Allowed Values	Country code in LU_COUNTRY

HHANDLER5

	US United States blank US (United States)
Default Value	US
Notes	For a list of valid country codes, refer to the Column Information Report for LU_COUNTRY. If Location Country is blank, then a value of 'US' will be assumed.

English Name	County Code
Oracle Name	COUNTY_CODE
Foreign Key	Foreign key to COUNTY_CODE in LU_COUNTY.
Description	The Federal Information Processing Standard (FIPS) code for the county in which the facility is located (Ref: FIPS Publication, 6-4, "Counties and Equivalent Entities of the United States, its Possessions, and Associated Areas").
Data Type and Length	CHAR (5)
Allowed Values	County code in LU_COUNTY
Default Value	
Notes	Positions 1 and 2 must be a valid state postal code; Positions 3 through 5 must be a number from 000 - 999. For a list of valid county codes, refer to the Column Information Report for LU_COUNTY.

English Name	State District Owner
Oracle Name	STATE_DISTRICT_OWNER
Foreign Key	Foreign key to OWNER in LU_STATE_DISTRICT.
Description	Indicates the agency that defined the State District.
Data Type and Length	CHAR (2)
Allowed Values	01 - 10 Region State postal code blank Not provided
Default Value	blank
Notes	If State District is provided then State District Owner must be provided.

English Name	State District
Oracle Name	STATE_DISTRICT
Foreign Key	Foreign key to STATE_DISTRICT in LU_STATE_DISTRICT.
Description	Code indicating the state-designated legislative district(s) in which the site is located.
Data Type and Length	VARCHAR2 (10)
Allowed Values	Implementer-defined value in LU_STATE_DISTRICT blank Not provided
Default Value	blank
Notes	If State District Owner is provided then State District must be provided.

HHANDLER5

English Name	Land Type
Oracle Name	LAND_TYPE
Description	Code indicating current ownership status of the land on which the facility is located.
Data Type and Length	CHAR (1)
Allowed Values	C County D District F Federal I Tribal M Municipal O Other land type P Private S State blank Facility is not located on Indian land. Additional information is not known.
Default Value	blank
Notes	If the Receive Date >= 1/1/2004 and Source Type = 'N', 'A', 'R', or 'B' then the Land Type must be provided.

English Name	Mailing Street Number
Oracle Name	MAIL_STREET_NO
Description	The street number from the primary business mailing address.
Data Type and Length	VARCHAR2 (12)
Allowed Values	Any value blank Not provided
Default Value	blank
Notes	The mailing address is often different from the location (physical site) address.

English Name	Mailing Street 1
Oracle Name	MAIL_STREET1
Description	First line of the street address (or the post office box number) for primary business mailing purposes.
Data Type and Length	VARCHAR2 (30)
Allowed Values	Any value blank Not provided
Default Value	blank
Notes	The mailing address is often different from the location (physical site) address. If the Receive Date >= 1/1/2004 and the Source Type = 'N', 'A', 'R', or 'B' then the Mailing Street 1 must be provided.

HHANDLER5

English Name	Mailing Street 2
Oracle Name	MAIL_STREET2
Description	Second line of the street address (or the post office box number) for primary business mailing purposes.
Data Type and Length	VARCHAR2 (30)
Allowed Values	Any value
	blank Not provided
Default Value	blank
Notes	The mailing address is often different from the location (physical site) address.

English Name	Mailing City
Oracle Name	MAIL_CITY
Description	Name of the city or town of the handler's mailing address.
Data Type and Length	VARCHAR2 (25)
Allowed Values	Any value
	blank Not provided
Default Value	blank
Notes	If the Receive Date >= 1/1/2004 and the Source Type = 'N', 'A', 'R', or 'B' then the Mailing City must be provided.

English Name	Mailing State
Oracle Name	MAIL_STATE
Foreign Key	If Country Code = 'US' or blank then foreign key to POSTAL_CODE in LU_STATE.
	If Country Code <> 'US' or blank then foreign key to COUNTRY_CODE in LU_COUNTRY.
Description	State code of the mailing address.
Data Type and Length	CHAR (2)
Allowed Values	If Mailing Country <> US or blank then State code in LU_FOREIGN_STATE
	If Mailing Country = US or blank then State postal code in LU_STATE
	blank Not provided
Default Value	blank
Notes	For a list of valid state codes, refer to the Column Information Report for LU_STATE and LU_FOREIGN_STATE.
	If Country Code = 'US' or blank and Receive Date >= 1/1/2004 and Source Type = 'N', 'A', 'R', or 'B' then Mailing State must be provided.

English Name	Mailing Zip Code
Oracle Name	MAIL_ZIP
Description	Zip code in the primary business mailing address.
Data Type and Length	VARCHAR2 (14)
Allowed Values	Any value
	blank Not provided

HHANDLER5

Default Value	blank
Notes	Zip code may include dash.
	The mailing address is often different from the location (physical site) address.
	If the Receive Date >= 1/1/2004 and the Source Type = 'N', 'A', 'R', or 'B' then the Mailing Zip Code must be provided.

English Name	Mailing Country
Oracle Name	MAIL_COUNTRY
Foreign Key	Foreign key to COUNTRY_CODE in LU_COUNTRY.
Description	Country code of the mailing address.
Data Type and Length	CHAR (2)
Allowed Values	Country code in LU_COUNTRY
	US United States
	blank US (United States)
Default Value	US
Notes	For a list of valid country codes, refer to the Column Information Report for LU_COUNTRY.
	If Mailing Country is blank, then a value of 'US' will be assumed.

English Name	Contact First Name
Oracle Name	CONTACT_FIRST_NAME
Description	First name of the primary contact person for the site location who should be reasonably expected to be available at all times and fully aware of the regulated activities being performed at the site.
Data Type and Length	VARCHAR2 (15)
Allowed Values	Any value
	blank Not provided
Default Value	blank
Notes	If the Receive Date >= 1/1/2004 and the Source Type = 'N', 'A', 'R', or 'B' then the Contact First Name must be provided.

English Name	Contact Middle Initial
Oracle Name	CONTACT_MIDDLE_INITIAL
Description	Middle initial of the primary contact person for the site location who should be reasonably expected to be available at all times and fully aware of the regulated activities being performed at the site.
Data Type and Length	CHAR (1)
Allowed Values	Any value
	Any value
	blank Not provided
Default Value	blank

HHANDLER5

English Name	Contact Last Name
Oracle Name	CONTACT_LAST_NAME
Description	Last name of the primary contact person for the site location who should be reasonably expected to be available at all times and fully aware of the regulated activities being performed at the site.
Data Type and Length	VARCHAR2 (15)
Allowed Values	Any value
	blank Not provided
Default Value	blank
Notes	If the Receive Date >= 1/1/2004 and the Source Type = 'N', 'A', 'R', or 'B' then the Contact Last Name must be provided.

English Name	Contact Street Number
Oracle Name	CONTACT_STREET_NO
Description	The street number from the contact street address.
Data Type and Length	VARCHAR2 (12)
Allowed Values	Any value
	blank Not provided
Default Value	blank

English Name	Contact Street 1
Oracle Name	CONTACT_STREET1
Description	First line of the street address (or the post office box number) for the contact.
Data Type and Length	VARCHAR2 (30)
Allowed Values	Any value
	blank Not provided
Default Value	blank

English Name	Contact Street 2
Oracle Name	CONTACT_STREET2
Description	Second line (as needed) of the street address for the contact.
Data Type and Length	VARCHAR2 (30)
Allowed Values	Any value
	blank Not provided
Default Value	blank

HHANDLER5

English Name	Contact City
Oracle Name	CONTACT_CITY
Description	The city or town of the contact address.
Data Type and Length	VARCHAR2 (25)
Allowed Values	Any value
	blank Not provided
Default Value	blank

English Name	Contact State
Oracle Name	CONTACT_STATE
Foreign Key	If Country Code = 'US' or blank then foreign key to POSTAL_CODE in LU_STATE.
	If Country Code <> 'US' or blank then foreign key to COUNTRY_CODE in LU_COUNTRY.
Description	State code of the contact address.
Data Type and Length	CHAR (2)
Allowed Values	If Contact Country <> US or blank then State code in LU_FOREIGN_STATE
	If Contact Country = US or blank then State postal code in LU_STATE
	blank Not provided
Default Value	blank
Notes	For a list of valid state codes, refer to the Column Information Report for LU_STATE and LU_FOREIGN_STATE.

English Name	Contact Zip
Oracle Name	CONTACT_ZIP
Description	Zip code of the contact address.
Data Type and Length	VARCHAR2 (14)
Allowed Values	Any value
	blank Not provided
Default Value	blank
Notes	Zip code may include dash.

English Name	Contact Country
Oracle Name	CONTACT_COUNTRY
Foreign Key	Foreign key to COUNTRY_CODE in LU_COUNTRY.
Description	Country code of the contact address.
Data Type and Length	CHAR (2)
Allowed Values	Country code in LU_COUNTRY
	US United States
	blank US (United States)
Default Value	US

HHANDLER5

Notes	For a list of valid country codes, refer to the Column Information Report for LU_COUNTRY.
	If Contact Country is blank, then a value of 'US' will be assumed.

English Name	Contact Telephone Number
Oracle Name	CONTACT_PHONE
Description	Telephone number at which the site contact may be reached.
Data Type and Length	VARCHAR2 (15)
Allowed Values	Any value
	blank Not provided
Default Value	blank
Notes	If the Receive Date >= 1/1/2004 and the Source Type = 'N', 'A', 'R', or 'B' then the Contact Telephone Number must be provided.
	Telephone number can include space, parentheses and hyphen.

English Name	Contact Telephone Extension
Oracle Name	CONTACT_PHONE_EXT
Description	Telephone number extension associated with the contact.
Data Type and Length	VARCHAR2 (6)
Allowed Values	Any value
	blank Not provided
Default Value	blank

English Name	Contact Facsimile Number
Oracle Name	CONTACT_FAX
Description	Facsimile number at which the site contact may be reached.
Data Type and Length	VARCHAR2 (15)
Allowed Values	Any value
	blank Not provided
Default Value	blank
Notes	Facsimile number can include space, parentheses and hyphen.

HHANDLER5

English Name	Contact E-mail Address
Oracle Name	CONTACT_EMAIL_ADDRESS
Description	E-mail address associated with the contact.
Data Type and Length	VARCHAR2 (80)
Allowed Values	Any value
	blank Not provided
Default Value	blank

English Name	Contact Title
Oracle Name	CONTACT_TITLE
Description	Title of the site contact person.
Data Type and Length	VARCHAR2 (45)
Allowed Values	Any value
	blank Not provided
Default Value	blank

English Name	Federal Waste Generator Code Owner
Oracle Name	FED_WASTE_GENERATOR_OWNER
Foreign Key	Foreign key to OWNER in LU_GENERATOR_STATUS.
Description	Indicates the agency that defined the Federal Generator Status Type.
Data Type and Length	CHAR (2)
Allowed Values	01-10 Regionally defined
	State postal code
	blank Not provided
Default Value	blank
Notes	If Source Type = 'N', 'A', 'R', or 'B' then the Federal Waste Generator Code Owner must be provided.
	If Receive Date >= 4/1/2010 and Source Type = 'I', 'E', or 'T' then the Federal Waste Generator Code Owner must be provided.
	If Federal Waste Generator Code is provided then Federal Waste Generator Code Owner must be provided.

English Name	Federal Waste Generator Code
Oracle Name	FED_WASTE_GENERATOR
Foreign Key	Foreign key to WASTE_GENERATOR_STATUS_CODE in LU_GENERATOR_STATUS.
Description	Code indicating the regulatory status of the site with respect to the Federal rules to which it is subject as determined by the quantity and/or toxicity of hazardous wastes generated, stored, or accumulated over a specified period of time.
Data Type and Length	CHAR (1)
Allowed Values	Nationally-defined value in LU_GENERATOR_STATUS

HHANDLER5

Existing nationally-defined values:

1   Large Quantity Generator
Handlers that:

- generate 1,000 kg or more of hazardous waste during any calendar month; or

- generate more than 1 kg of acutely hazardous waste during any calendar month; or

- generate more than 100 kg of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month; or

- generate 1 kg or less of acutely hazardous waste during any calendar month, and accumulate more than 1 kg of acutely hazardous waste at any time; or

- generate 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulated more than 100 kg of that material at any time.

2   Small Quantity Generator
Handlers that:

- generate more than 100 and less than 1000 kilograms of hazardous waste during any calendar month and accumulate less than 6000 kg of hazardous waste at any time; or

- generate 100 kg or less of hazardous waste during any calendar month, and accumulate more than 1000 kg of hazardous waste at any time.

3   Conditionally Exempt Small Quantity Generator
Handlers that:

- generate 100 kilograms or less of hazardous waste per calendar month, and accumulate 1000 kg or less of hazardous waste at any time; or

- generate one kilogram or less of acutely hazardous waste per calendar month, and accumulate at any time:
a) 1 kg or less of acutely hazardous waste; or
b) 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste;
or

- generate 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulate at any time:
a) 1 kg or less of acutely hazardous waste; or
b) 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any

HHANDLER5

	land or water, of acutely hazardous waste.
	N Not a generator, verified
	blank Not provided
Default Value	
Notes	If Source Type = 'N', 'A', 'R', or 'B' then the Federal Waste Generator Code must be provided.
	If Receive Date >= 4/1/2010 and Source Type = 'I', 'E', or 'T' then the Federal Waste Generator Code must be provided.
	If Federal Waste Generator Code Owner is provided then Federal Waste Generator Code must be provided.
	If Mixed Waste Generator = 'Y' then Federal Waste Generator Code must equal '1', '2', or '3'.
	If Short Term Generator = 'Y' then Federal Waste Generator Code must equal '1', '2', or '3'.

English Name	State Waste Generator Code Owner
Oracle Name	STATE_WASTE_GENERATOR_OWNER
Foreign Key	Foreign key to OWNER in LU_GENERATOR_STATUS.
Description	Indicates the agency that defined the State Generator Status Type.
Data Type and Length	CHAR (2)
Allowed Values	01 - 10 Region
	State postal code
	blank Not provided
Default Value	blank
Notes	If Source Type = 'N', 'A', 'R', or 'B' then the State Waste Generator Code Owner must be provided.
	If Receive Date >= 4/1/2010 and Source Type = 'I', 'E', or 'T' then the State Waste Generator Code Owner must be provided.
	If State Waste Generator Code is provided then State Waste Generator Code Owner must be provided.

English Name	State Waste Generator Code
Oracle Name	STATE_WASTE_GENERATOR
Foreign Key	Foreign key to WASTE_GENERATOR_STATUS_CODE in LU_GENERATOR_STATUS.
Description	Code indicating the regulatory status of the site in view of the implementing State's "broader in scope" or "more stringent than" rules. Although such an implementing State might use terms that differ for their generators (e.g., "Fully Regulated Generator"), these terms would be translated to match the Federal regulatory term (i.e., LQG, SQG, or CESQG) that best represents the way that the State regulates the generator.
Data Type and Length	CHAR (1)
Allowed Values	Implementer-defined value in LU_GENERATOR_STATUS
	blank Not provided
Default Value	blank
Notes	If Source Type = 'N', 'A', 'R', or 'B' then the State Waste Generator Code must be provided.

HHANDLER5

If Receive Date >= 4/1/2010 and Source Type = 'I', 'E', or 'T' then the State Waste Generator Code must be provided.

If State Waste Generator Code Owner is provided then State Waste Generator Code must be provided.

English Name	Short-Term Generator Activity
Oracle Name	SHORT_TERM_GENERATOR
Description	Code indicating whether the handler's generator status is determined from a short-term or one-time event and not from on-going processes.
Data Type and Length	CHAR (1)

Allowed Values	N Definition varies based on Receive Date:
	         No [Receive Date >= 4/1/2010]
	         No or Unknown [Receive Date < 4/1/2010]
	Y Yes

Default Value	N
Notes	If Source Type = 'E' or 'T' then Short Term Generator must equal 'Y'.

English Name	Importer Activity
Oracle Name	IMPORTER_ACTIVITY
Description	Code indicating whether the facility is engaged in importing hazardous waste into the United States from a foreign country. Importers are required to obtain an EPA identification number prior to engaging in import activities. Refer to 40 CFR 262.60 for additional information.
Data Type and Length	CHAR (1)

Allowed Values	N Definition varies based on Source and/or Receive Date:
	         No [Sources N, A, or B]
	         No or Unknown [Sources I, R, E, or T and Receive Date < 4/1/10]
	         No [Sources I, R, E, or T and Receive Date >= 4/1/10]
	Y Yes

Default Value	N

English Name	Mixed Waste Generator
Oracle Name	MIXED_WASTE_GENERATOR
Description	Code indicating whether the facility is a generator or TSDF that handles waste mixed with nuclear source, special nuclear, or by-product material subject to the Atomic Energy Act (AEA), RCRA Section 1004(41), 42 U.S.C. 6903.
Data Type and Length	CHAR (1)

Allowed Values	N Definition varies based on Source and/or Receive Date:
	         No [Sources N, A, or B]
	         No or Unknown [Sources I, R, E, or T and Receive Date < 4/1/10]
	         No [Sources I, R, E, or T and Receive Date >= 4/1/10]
	Y Yes

Default Value	N

HHANDLER5

English Name	Transporter Activity
Oracle Name	TRANSPORTER
Description	Code indicating whether the handler is engaged in the off-site transportation of hazardous waste by air, rail, highway, or water. Refer to 40 CFR 263 for additional information.
Data Type and Length	CHAR (1)
Allowed Values	N Definition varies based on Source and/or Receive Date:
	No [Sources N, A, or B]
	No or Unknown [Sources I, R, E, or T and Receive Date < 4/1/10]
	No [Sources I, R, E, or T and Receive Date >= 4/1/10]
	Y Yes
Default Value	N

English Name	Transfer Facility Activity
Oracle Name	TRANSFER_FACILITY
Description	Code indicating whether the handler holds manifested hazardous waste at the site for a period of ten days or less while the waste is in transit. Refer to 40 CFR 263.12 for additional information.
Data Type and Length	CHAR (1)
Allowed Values	N Definition varies based on Receive Date:
	No [Receive Date >= 4/1/2010]
	No or Unknown [Receive Date < 4/1/2010]
	Y Yes
Default Value	N

English Name	TSD Activity
Oracle Name	TSD_ACTIVITY
Description	Code indicating whether the handler is engaged in the treatment, storage, or disposal of hazardous waste which required a RCRA hazardous waste permit. Refer to 40 CFR 264, 265, 266, and 270 for additional information.
Data Type and Length	CHAR (1)
Allowed Values	N Definition varies based on Source and/or Receive Date:
	No [Sources N, A, or B]
	No or Unknown [Sources I, R, E, or T and Receive Date < 4/1/10]
	No [Sources I, R, E, or T and Receive Date >= 4/1/10]
	Y Yes
Default Value	N

HHANDLER5

English Name	Recycler Activity
Oracle Name	RECYCLER_ACTIVITY
Description	Code indicating whether the site is engaged in the recycling of hazardous waste through activities such as use or reuse as ingredients in industrial processes to make product provided that the materials are not being reclaimed, used or reused as effective substitutes for commercial products, returned to the original process from which they are generated without first being reclaimed. Refer to 40 CFR 261.6 for additional information.
Data Type and Length	CHAR (1)

Allowed Values	N Definition varies based on Source and/or Receive Date:
	          No [Sources N, A, or B]
	          No or Unknown [Sources I, R, E, or T and Receive Date < 4/1/10]
	          No [Sources I, R, E, or T and Receive Date >= 4/1/10]
	Y Yes

Default Value	N

English Name	On-site Burner Exemption
Oracle Name	ONSITE_BURNER_EXEMPTION
Description	Code indicating whether the handler qualifies for the Small Quantity On-site Burner Exemption. Refer to 40 CFR 266.108 for additional information.
Data Type and Length	CHAR (1)

Allowed Values	N Definition varies based on Source and/or Receive Date:
	          No [Sources N, A, or B]
	          No or Unknown [Sources I, R, E, or T and Receive Date < 4/1/10]
	          No [Sources I, R, E, or T and Receive Date >= 4/1/10]
	Y Yes

Default Value	N

English Name	Furnace Exemption
Oracle Name	FURNACE_EXEMPTION
Description	Code indicating that the handler qualifies for the Smelting, Melting, and Refining Furnace Exemption. Refer to 40 CFR 266.100(d), 266.100(g), and 266.100(h) for additional information.
Data Type and Length	CHAR (1)

Allowed Values	N Definition varies based on Source and/or Receive Date:
	          No [Sources N, A, or B]
	          No or Unknown [Sources I, R, E, or T and Receive Date < 4/1/10]
	          No [Sources I, R, E, or T and Receive Date >= 4/1/10]
	Y Yes

Default Value	N
Notes	If Receive Date >= 1/1/2004 and Source Type = 'N', 'A', 'R', or 'B' then Furnace Exemption cannot equal 'U' - Unknown. If Receive Date >= 4/1/2010 and Source Type = 'I', 'E', or 'T' then Furnace Exemption cannot equal 'U' - Unknown.

HHANDLER5

English Name	Underground Injection Activity
Oracle Name	UNDERGROUND_INJECTION_ACTIVITY
Description	Code indicating whether the site is engaged in the management of hazardous wastes by subsurface emplacement of fluids through a bored, drilled, or driven well, or a dug well where the depth of the dug well is greater than its largest surface dimension. Refer to 40 CFR 148 for additional information.
Data Type and Length	CHAR (1)

Allowed Values

N	Definition varies based on Source and/or Receive Date:
	No [Sources N, A, or B]
	No or Unknown [Sources I, R, E, or T and Receive Date < 4/1/10]
	No [Sources I, R, E, or T and Receive Date >= 4/1/10]
Y	Yes

Default Value N

English Name	Off-site Waste Receipt
Oracle Name	OFF_SITE_RECEIPT
Description	Code indicating that the handler, whether public or private, currently accepts hazardous waste from another site (site identified by a different EPA ID).
Data Type and Length	CHAR (1)

Allowed Values

N	Definition varies based on Receive Date:
	No [Receive Date >= 4/1/2010]
	No or Unknown [Receive Date < 4/1/2010]
Y	Yes

Default Value N

English Name	Universal Waste Destination Facility
Oracle Name	UNIVERSAL_WASTE_DEST_FACILITY
Description	Code indicating whether the facility treats, disposes of, or recycles universal wastes on site. Refer to 40 CFR 261.9 and 40 CFR 273 for additional information.
Data Type and Length	CHAR (1)

Allowed Values

N	Definition varies based on Source and/or Receive Date:
	No [Sources N, A, or B]
	No or Unknown [Sources I, R, E, or T and Receive Date < 4/1/10]
	No [Sources I, R, E, or T and Receive Date >= 4/1/10]
Y	Yes

Default Value N

HHANDLER5

English Name	Used Oil Transporter
Oracle Name	USED_OIL_TRANSPORTER
Description	Code indicating whether the site transports or collects and transports used oil from more than one generator. The transporter may aggregate loads for the purposes of transportation but may not process the oil with the exception of incidental processing, such as oil/water separation, that may occur during transportation. Refer to 40 CFR 279.40-47 for additional information.
Data Type and Length	CHAR (1)

Allowed Values

N	Definition varies based on Source and/or Receive Date:
	No [Sources N, A, or B]
	No or Unknown [Sources I, R, E, or T and Receive Date < 4/1/10]
	No [Sources I, R, E, or T and Receive Date >= 4/1/10]
Y	Yes

Default Value N

English Name	Used Oil Transfer Facility
Oracle Name	USED_OIL_TRANSFER_FACILITY
Description	Code indicating that the handler owns or operates a used oil transfer facility. Refer to 40 CFR 279.40-47 for additional information.
Data Type and Length	CHAR (1)

Allowed Values

N	Definition varies based on Source and/or Receive Date:
	No [Sources N, A, or B]
	No or Unknown [Sources I, R, E, or T and Receive Date < 4/1/10]
	No [Sources I, R, E, or T and Receive Date >= 4/1/10]
Y	Yes

Default Value N

English Name	Used Oil Processor
Oracle Name	USED_OIL_PROCESSOR
Description	Code indicating whether the site processes used oil. Processing means chemical or physical operations that are designed to produce or make amenable for the production of fuels, oils, lubricants, or other oil-derived products through activities such as blending, filtration, separation, and distillation. Refer to 40 CFR 279.50-59 for additional information.
Data Type and Length	CHAR (1)

Allowed Values

N	Definition varies based on Source and/or Receive Date:
	No [Sources N, A, or B]
	No or Unknown [Sources I, R, E, or T and Receive Date < 4/1/10]
	No [Sources I, R, E, or T and Receive Date >= 4/1/10]
Y	Yes

Default Value N

HHANDLER5

English Name	Used Oil Refiner
Oracle Name	USED_OIL_REFINER
Description	Code indicating whether the site processes used oil. Processing means chemical or physical operations that are designed to produce or make amenable for the production of fuel oils, lubricants, or other oil derived products through activities such as blending, filtration, separation, and distillation. Refer to 40 CFR 279.50-59 for additional information.
Data Type and Length	CHAR (1)

Allowed Values	N	Definition varies based on Source and/or Receive Date:
		No [Sources N, A, or B]
		No or Unknown [Sources I, R, E, or T and Receive Date < 4/1/10]
		No [Sources I, R, E, or T and Receive Date >= 4/1/10]
	Y	Yes
Default Value	N	

English Name	Off-Specification Used Oil Burner
Oracle Name	USED_OIL_BURNER
Description	Code indicating whether the facility burns off-specification used oil for energy recovery in devices or processes such as: 1) Industrial furnaces, boilers for facilities engaged in manufacturing processes, 2) Boilers for the production of electric power, stream heated or cooled air or other gases or fluids for sale, 3) Used oil space heaters provided that the used oil originates from the owner/operator or from do-it-yourself used oil generation, or 4) Hazardous waste incineration.
Data Type and Length	CHAR (1)

Allowed Values	N	Definition varies based on Source and/or Receive Date:
		No [Sources N, A, or B]
		No or Unknown [Sources I, R, E, or T and Receive Date < 4/1/10]
		No [Sources I, R, E, or T and Receive Date >= 4/1/10]
	Y	Yes
Default Value	N	

English Name	Used Oil Fuel Marketer to Burners
Oracle Name	USED_OIL_MARKET_BURNER
Description	Code indicating whether the site directs shipments of off-specification used oil from the facility to used oil burners. Refer to 40 CFR 279.70-75 for additional information.
Data Type and Length	CHAR (1)

Allowed Values	N	Definition varies based on Source and/or Receive Date:
		No [Sources N, A, or B]
		No or Unknown [Sources I, R, E, or T and Receive Date < 4/1/10]
		No [Sources I, R, E, or T and Receive Date >= 4/1/10]
	Y	Yes
Default Value	N	

HHANDLER5

English Name	Used Oil Specification Marketer
Oracle Name	USED_OIL_SPEC_MARKETER
Description	Code indicating whether the handler first claims that used oil targeted for energy recovery meets used fuel oil specifications. Refer to 40 CFR 279.11 for additional information.
Data Type and Length	CHAR (1)

Allowed Values	N Definition varies based on Source and/or Receive Date:
	              No [Sources N, A, or B]
	              No or Unknown [Sources I, R, E, or T and Receive Date < 4/1/10]
	              No [Sources I, R, E, or T and Receive Date >= 4/1/10]
	Y Yes

Default Value	N

English Name	Subpart K - College or University
Oracle Name	SUBPART_K_COLLEGE
Description	Code indicating if the handler is managing laboratory hazardous waste under 40 CFR 262 Subpart K as an eligible college or university.
Data Type and Length	CHAR (1)
Allowed Values	N No Y Yes blank Not provided
Default Value	N
Notes	If Receive Date >= 4/1/2010 then Subpart K - College or University must be provided.

English Name	Subpart K - Teaching Hospital
Oracle Name	SUBPART_K_HOSPITAL
Description	Code indicating if the handler is managing laboratory hazardous waste under 40 CFR 262 Subpart K as an eligible teaching hospital.
Data Type and Length	CHAR (1)
Allowed Values	N No Y Yes blank Not provided
Default Value	N
Notes	If Receive Date >= 4/1/2010 then Subpart K - Teaching Hospital must be provided.

English Name	Subpart K - Non-profit Research Institute
Oracle Name	SUBPART_K_NONPROFIT
Description	Code indicating if the handler is managing laboratory hazardous waste under 40 CFR 262 Subpart K as an eligible non-profit research institute.
Data Type and Length	CHAR (1)
Allowed Values	N No Y Yes blank Not provided

HHANDLER5

Default Value	N
Notes	If Receive Date >= 4/1/2010 then Subpart K - Non-profit Research Institute must be provided.

English Name	Subpart K - Withdrawal
Oracle Name	SUBPART_K_WITHDRAWAL
Description	Code indicating if the handler is withdrawing from managing laboratory hazardous waste under 40 CFR 262 Subpart K.
Data Type and Length	CHAR (1)
Allowed Values	N No Y Yes blank Not provided
Default Value	N
Notes	If Receive Date >= 4/1/2010 then Subpart K - Withdrawal must be provided.

English Name	Include in National Report
Oracle Name	INCLUDE_IN_NATIONAL_REPORT
Description	Flag indicating that the facility should be included in the National Biennial RCRA Hazardous Waste Report.
Data Type and Length	CHAR (1)
Allowed Values	N No U Unknown Y Yes
Default Value	
Notes	If Source Type equals 'B' or 'R', then Include in National Report must be provided. If Report Cycle >= 2001 then Include In National Report cannot be equal to 'U' - Unknown. Include In National Report has been set to 'U' for BR cycles prior to 2001.

English Name	Reporting Cycle Year
Oracle Name	REPORT_CYCLE
Description	The year for which biennial report data was collected.
Data Type and Length	NUMBER (4.0)
Allowed Values	Valid four-digit Biennial Report cycle year beginning with 1989 blank Not provided
Default Value	blank
Notes	If Source Type equals 'B' or 'R' then Reporting Cycle Year must be provided.

HHANDLER5

English Name	CDX Transaction ID
Oracle Name	CDX_TRANSACTION_ID
Description	Number assigned to the Site ID Form submitted via the MyRCRAID submission.
Data Type and Length	VARCHAR2 (20)
Allowed Values	Any value
	blank Not provided
Default Value	blank

English Name	User ID of Last Change
Oracle Name	USERID
Description	Records the user ID of the last person to change the data.
Data Type and Length	VARCHAR2 (6)
Allowed Values	Valid user ID
Default Value	Current user ID

English Name	Date of Last Change
Oracle Name	LAST_CHANGE
Description	Records the date that the data was last changed.
Data Type and Length	DATE
Allowed Values	Valid date/time stamp
Default Value	Current date and time

English Name	Notes
Oracle Name	NOTES
Description	Additional information regarding the handler.
Data Type and Length	VARCHAR2 (4000)
Allowed Values	Any value
	blank Not provided
Default Value	blank
Notes	The Notes field may contain information regarding NAICS, Universal Waste, Certification, Other Permit, Hazardous Secondary Material, and State Activity.

* End of Report *